

- Brabson, L., Harris, J., Lindhiem, O., & Herschell, A. (2020). Workforce turnover in community behavioral health agencies in the USA: A systematic review with recommendations. *Clinical Child and Family Psychology Review*, 297-315.
- Bridges, A., Mapes, A., Scafe, M., & Guzman, L. (2022). Primary care behavioral health patients' stage of change: Correlates and relation to follow-up session attendance. *Families, Systems, and Health*, 60-69.
- Brown, H., Andreason, H., Melling, A., Imel, Z., & Simon, G. (2015). Problems with using patient retention in the evaluation of mental health providers: Differences in types of dropout. *Psychiatric Services*.
- Byrne, A. (2018). Don't waste your marketing: How to ethically boost patient retention. *Co-Kinetic Journal*, 42-44.
- Cales, M., Weisenmuller, C., Barrett, J., Kerr, P., & Sparks, T. (2021). Predictors of appointment attendance in a rural Appalachian behavioral health clinic. *Journal of Rural Mental Health*, 31-42.
- Cheng, A., Nakash, O., Cruz-Gonzalez, M., Fillbrunn, M., & Alegria, M. (2021). The association between patient-provider racial/ethnic concordance, working alliance, and length of treatment in behavioral health settings. *Psychological Services*, 1-12.
- Daigre, C., Rodriguez, L., Roncero, C., Palma-Alvarez, R., Perea-Ortueta, M., Sorribes-Puertas, M., . . . Grau-Lopez, L. (2021). Treatment retention and abstinence of patients with substance use disorders according to addiction severity and psychiatry comorbidity: A six-month follow-up study in an outpatient unit. *Addictive Behaviors*, 1-8.
- Gabriel, E., Hoch, M., & Cramer, R. (2019). Health belief model scale and theory of planned behavior scale to assess attitudes and perceptions of injury prevention program participation: An exploratory factor analysis. *Journal of Science and Medicine in Sport*, 544-549. doi:10.1016/j.jsams.2018.11.004
- Hartle, R. (2016). Opening the door to patient retention: A look at new technology trends. *Journal of Medical Practice Management*, 212-214.
- Hodges, J., Waselewski, M., Harrington, W., Franklin, T., Schorling, K., Huynh, J., . . . Dillingham, R. (2022). Six-month outcomes of the HOPE smartphone application designed to support treatment with medications for opioid use disorder and piloted during an early statewide COVID-19 lockdown. *Addiction Science & Clinical Practice*, 1-11.
- Jones, C., Smith, H., Frew, A., Du Toit, G., Mukhopadhyay, S., & Llewellyn, C. (2014). Explaining adherence to self-care behaviours amongst adolescents with food allergy: A comparison of the health belief model and the common sense self-regulation model. *British Journal of Health Psychology*, 65-82. doi:10.1111/bjhp.12033
- Kelly, S., O'Grady, K., Brown, B., Mitchell, S., & Schwartz, R. (2010). The role of patient satisfaction in methadone treatment. *The American Journal of Drug and Alcohol Abuse*, 150-154.

- Kenton, N., Broffman, L., Jones, K., Mcmenamin, K., Weller, M., Brown, K., . . . Wright, B. (2019). Patient experiences in behavioral health integrated primary care settings: The role of stigma in shaping patient outcomes over time. *Psychology, Health & Medicine*, 1182-1197.
- Knuuttila, V., Kuusisto, K., Saarnio, P., & Nummi, T. (2012). Effect of early working alliance on retention in outpatient substance abuse treatment. *Counselling Psychology Quarterly*, 361-375.
- Landrum, B., Knight, D., Becan, J., & Flynn, P. (2015). To stay or not to stay: Adolescent client, parent, and counselor perspectives on leaving substance abuse treatment early. *Journal of Child and Adolescent Substance Abuse*, 344-354.
- Lappan, S., Brown, A., & Hendricks, P. (2019). Dropout rates of in-person psychosocial substance use disorder treatments: A systematic review and meta-analysis. *Addiction*, 201-217.
- Levin, L., & Teichman, M. (2017). Patient retention in therapeutic communities for substance abuse treatment: An organizational-environmental-professional perspective. *Social Work*, 165-173.
- McKay, J. (2021). Impact of continuing care on recovery from substance use disorder. *Alcohol Research*, 1-15.
- McPherson, C., Boyne, H., & Willis, R. (2017). The role of family in residential treatment patient retention. *International Journal of Mental Health and Addiction*.
- Pallucchini, A., Carli, M., Maremmani, A., Scarselli, M., Perugi, G., & Maremmani, I. (2021). Influence of substance use disorder on treatment retention of adult-attention-deficit/hyperactive disorder patients. A five-year follow up study. *Journal of Clinical Medicine*, 1-10.
- Rivera, D., Dueker, D., & Amaro, H. (2021). Examination of referral source and retention among women in residential substance use disorder treatment: a prospective follow-up study. *Substance Abuse Treatment, Prevention, and Policy*, 1-11.
- Shields, A., Morrison, A., Conner, B., Urada, D., Anglin, M., & Longshore, D. (2014). Treatment motivation predicts substance use treatment retention across individuals with and without co-occurring mental illness. *International Journal of Mental Health and Addiction*, 795-805.
- Staudt, M. (2018). Best practices for enhancing substance abuse treatment retention by pregnant women. *Best Practice in Mental Health*, 48-63.
- Ulupinar, D., Zalaquett, C., Kim, S., & Kulikowich, J. (2020). Performance of mental health counselors in integrated primary and behavioral health care. *Journal of Counseling and Development*, 37-46.